

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	68	(threaded near rivet).ab	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/24 17:14
L7	60	(clinch adj nut).ab.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/24 17:33
L8	14	((pierce or clinch) adj nut) and (transmission) and motor	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/24 17:34
L9	14	((pierce or clinch) adj nut) and (transmission) and ((mechanical near actuator) or motor)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/24 17:35

L10	3	((pierce or clinch) adj nut) and (transmission) and (actuator)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/24 17:36
L11	3	((pierce or clinch) near nut) and (transmission) and (actuator)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/24 17:37
L12	15	((pierce or clinch) near nut) and (transmission) and (actuator or motor)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/24 17:37
L13	1	12 not 9	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/24 17:37
L14	31	((pierce or clinch) with nut) and (transmission) and (actuator or motor)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/24 17:38

L15	16	14 not 12	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/24 17:37
L16	99	((pierce or clinch) same nut) and (transmission) and (actuator or motor)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/24 17:38
L17	68	16 not 14	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/06/24 17:38